

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	36	((mount\$3 instal\$3) near3 (bracket)) with (hole slot) with (indentation indent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:40
L3	2	((mount\$3 instal\$3) with (bracket)) with (hole slot) with ((indentation indent) with (deform\$4, bend\$3, contort, deface, disfigure, distort, mutilate, strain, twist, warp))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:42
L4	6	((mount\$3 instal\$3) with (bracket housing)) with (hole slot) with ((indentation indent) with (deform\$4, bend\$3, contort, deface, disfigure, distort, mutilate, strain, twist, warp))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:44
L5	33	(mount\$3 instal\$3) with (hole slot) with ((indentation indent) with (deform\$4, bend\$3, contort, deface, disfigure, distort, mutilate, strain, twist, warp))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:50
L6	4	(mount\$3 instal\$3) with (hole slot) with (deform\$4, bend\$3, contort, deface, disfigure, distort, mutilate, strain, twist, warp) same (reinstal\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 12:04
L7	66	(mount\$3 instal\$3) with (deform\$4, bend\$3, contort, deface, disfigure, distort, mutilate, strain, twist, warp) same (reinstal\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:53
L29	15	("4033601" "4436351" "4463835" "4566316" "5329809" "5747677" "5951191" "6070865" "6123301" "6139211" "6176636" "6272747" "6338190").PN. OR ("6453732"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/03 11:15
L30	11	("3865095" "4469466" "5295405" "5613290" "5951191" "6070865" "6123301" "6139211").PN. OR ("6338190"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/03 11:18

EAST Search History

L31	13	((mount\$3 instal\$3) with (hole slot) with (deform\$4, bend\$3, contort, deface, disfigure, distort, mutilate, strain, twist, warp) and (reinstal\$3)).clm"	US-PGPUB	OR	ON	2006/04/03 12:05
L32	1	((mount\$3 instal\$3) with (hole slot) with (deform\$4, bend\$3, contort, deface, disfigure, distort, mutilate, strain, twist, warp) and (reinstal\$3)).clm.	US-PGPUB	OR	ON	2006/04/03 12:05
L33	32	((screw) and (hole slot) and (deform\$4, bend\$3, contort, deface, disfigure, distort, mutilate, strain, twist, warp) and (indent indentation)).clm.	US-PGPUB	OR	ON	2006/04/03 12:05
S1	1	("20060048573").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/02 15:40
S2	7	(DENNY near2 WAYNE).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 15:48
S3	1880	(SMITH near2 RICHARD).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 15:48
S4	7	(REHFUS near2 KEVIN).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 17:40
S5	39	S3 and speed.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 15:48
S6	6	((("5951191") or ("6176636") or ("6070865") or ("6062529") or ("6338190") or ("6453732"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/02 16:06

EAST Search History

S7	15	("4033601" "4436351" "4463835" "4566316" "5329809" "5747677" "5951191" "6070865" "6123301" "6139211" "6176636" "6272747" "6338190").PN. OR ("6453732").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/02 16:09
S8	0	("2006/0048573").URPN.	USPAT	OR	ON	2006/04/02 16:13
S9	149	(73/862.326).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/02 16:17
S10	812	(73/493).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/02 16:14
S11	626	(73/494).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/02 16:14
S12	351	(73/488).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/02 16:14
S13	0	("sens\$3transducermeasur\$3detect\$3").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/02 16:17
S14	6750896	sens\$3 transducer measur\$3 detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:18
S15	3409803	speed velocity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:18
S16	1631518	S14 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:19
S17	168	S16 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:20

EAST Search History

S18	54	S16 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:19
S19	184	S16 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:19
S20	119	(appoint, establish, fit, fix, instal, lay, mount, place, put adj in, set adj up) and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:53
S21	40	(appoint, establish, fit, fix, instal, lay, mount, place, put adj in, set adj up) and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:21
S22	114	(appoint, establish, fit, fix, instal, lay, mount, place, put adj in, set adj up) and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:21
S23	127	(appoint, establish, fit, fix, instal\$3, lay, mount, place, put adj in, set adj up) and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:31
S24	44	(appoint, establish, fit, fix, instal\$3, lay, mount, place, put adj in, set adj up) and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:53
S25	127	(appoint, establish, fit, fix, instal\$3, lay, mount, place, put adj in, set adj up) and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:22

EAST Search History

S26	24	(bend, contort, deface, disfigure, distort, mutilate, strain, twist, warp) and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:52
S27	3	(bend, contort, deface, disfigure, distort, mutilate, strain, twist, warp) and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:24
S28	18	(bend, contort, deface, disfigure, distort, mutilate, strain, twist, warp) and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:24
S29	45	S28 S27 S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:24
S30	18	screw\$3 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:25
S31	25	(screw\$3 bolt\$3) and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 17:39
S32	289	S24 S23 S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:32
S33	264	S32 not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:32

EAST Search History

S34	107	(screw\$3 bolt\$3) and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:56
S35	22595	adjust\$3 with speed with (sens\$3 transducer detect\$3 measur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:51
S36	2962	(deform\$4, bend\$3, contort, deface, disfigure, distort, mutilate, strain, twist, warp) and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:52
S37	2274	(appoint, establish, fit, fix, instal\$3, lay, mount, place, put adj in, set adj up) and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:54
S38	1718	(aperture, cranny, opening, orifice, outlet, slot, inlet) and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:55
S39	848	(screw\$3 bolt\$3) and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 16:57
S40	73	S39 and "73".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 17:00
S41	392	((mount\$3 instal\$3) near3 (bracket)) with (hole slot) with (deform\$4, bend\$3, distort\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:26

EAST Search History

S42	45106	S15 and (sens\$3 transducer measur\$3 detect\$3) near4 shaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 17:39
S43	4259	S42 and "73".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 17:40
S44	88	(two second) near3 slot and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 17:41